Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6744087".did.	USPAT	OR	OFF	2006/02/04 08:38
L2	1	"6064616".did.	USPAT	OR	OFF	2006/02/04 08:38
L8	1839	sram and (write adj (circuit or driver)) same read$3 same writ$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 13:52
L9	1191	L8 and ((bit adj line) or bitline) and ((word adj line) or wordline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 08:55
L10	1188	L9 and cells	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 08:55
L11	1063	@ay< "2004" and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 08:55
L12	169	L11 and (writ$3 adj mode) and (read$3 adj mode) and sram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/04 10:42
L13	42	12 and (rewrit$3 same ((bit adj line) or bitline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/04 11:28
L14	24	12 and (rewrit$3 same read$3 same((bit adj line) or bitline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/04 11:29
L15	5081	sram and (rewrit$3 or restor$3 same ((bit adj line) or bitline) same ((word adj line) or wordline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 13:53

L16	1118	sram same (rewrit$3 or restor$3 same ((bit adj line) or bitline) same ((word adj line) or wordline))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 13:53
L17	823	16 and (writ$3 same (mode or step or operation)) and (read$3 same (mode or step or operation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 13:54
L18	43	@ay>"2004" and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 15:18
L19	608	365/228.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 15:19
L20	3120	365/222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 15:19
L21	913	20 and (rewrit$3 or restor$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 15:19
S947	1839	sram and (write adj (circuit or driver)) same read$3 same writ$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 14:31
S948	1191	S947 and ((bit adj line) or bitline) and ((word adj line) or wordline)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 14:32

S94 9	1188	S948 and cells	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	.	ON	2006/02/03 14:32
S95 0	1063	@ay< "2004" and S949	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		ON	2006/02/03 14:34
S95 1	7	sugahara-takeshi.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		ON	2006/02/03 14:33
S95 2	171	S950 and (writ$3 adj mode) and (read$3 adj mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		ON	2006/02/03 14:34